

Section 1 – Chemical Product and Company Identification

Product Name: True Color Coating

Chemical Name: 1-5-9016 **CAS Number:** 1345-16-0

Manufacturer Information: McAllister Mills, Inc.

McAllister Mills, Inc. 173 Rainbow Circle Independence, VA 24348 (276) 773-3114 Emergency Contacts:

Prepared By

Brian Huss (276) 773-3114

Preparation Date: April 26, 2014

Section 2 – Composition/Ingredient Information

CAS#	Component/Ingredient	Percent by Weight
1345-16-0	High Heat Pigment 28	10%
1330-20-7	Xylene	5%

TLV-TWA	TLV-STEL	PEL-TWA	PEL-Ceiling	TLV-TWA	Skin
0.02 mg/m3 100 PPM	N.E. 150 PPM	N.E.	N.E.	N.E.	No Yes







True Color Coating

McAllister Mills, Inc. Revised: May 19, 2015



Section 3 – Hazards Identification

Emergency Overview: *No Information.*

Potential Health Effects:

Acute Inhalation: Breathing – In poorly ventilated areas excessive inhalation of vapors may cause nasal and respiratory irritation, dizziness, weakness, fatigue, nausea, headache, possible unconsciousness and asphyxiation.

Skin Contact: Skin – Prolonged or repeated contact can cause moderate irritation, defatting, dermatitis.

Eye Contact: Eyes - Can cause severe irritation, redness, tearing and

blurred vision.

Ingestion: May be harmful if swallowed.

Section 4 – First Aid Measures

Inhalation: No Information.

Skin Contact: Thoroughly wash exposed area with soap and water.

Eye Contact: Flush with large amounts of water.

Ingestion: Swallowing - Call physician. Dilute with water. Do not induce

vomiting.

Section 5 – Fire Fighting Measures

Is this product flammable?	Yes	Lower Flammability Limit	No Information
Flash Point	205°F	Flammability Classification	No Information
Upper Explosive Limit	7%	Explosion Data – Sensitivity to mechanical impact	Not Available
Lower Explosive Limit	1%	Explosion Data – Sensitivity to static discharge	Not Available
Flash Point Method	Setaflash Closed Cup	Hazardous Combustion Products Data	Not Available



Unusual Fire and Explosion Hazards: Closed containers may explode when exposed to extreme heat.

Extinguishing Media: Dry chemical, foam, carbon dioxide, and water fog. **Fire Fighting Instructions:** No special procedures necessary. Use normal fire fighting procedures.

Section 6 - Accidental Release Measures

Steps to be taken in case material is released or spilled: Dike and contain spill with an inert material and transfer the liquid to containers for recovery or disposal.

Section 7 – Handling and Storage

General Storage: Containers of this product may be hazardous when emptied since emptied containers retain product residues (vapors, liquid and/or solid). All hazard precautions given here must be observed. **Handling:** To prevent repeated or prolonged skin contact, wear impermeable clothing or boots.

Section 8 – Exposure Controls / Personal Protection

Engineering Controls: No Information.

Personal Protective Equipment: Eyes and Face: *Safety Goggles*

Skin: Resistant Gloves

Respiratory: In case of poor ventilation, use NIOSH approved particulate

respirator. (3M 8710)

Section 9 – Physical and Chemical Properties

Boiling Range	282º - 286ºF	Vapor Density Heavier that	
			air
Odor	Amine	Odor Threshold	
Appearance	Blue, Red or	Evaporation Rate	Slower than
	Black		Ether

Safety Data Sheet

True Color Coating

McAllister Mills, Inc.

Revised: May 19, 2015



Solubility in H2O	Soluble in Water	Specific Gravity	1.0612
Freeze Point		pH @ 0.0%	
Vapor Pressure		Viscosity	
		Coefficient of	
Physical State		Water/Oil Distribution	

Section 10 - Chemical Stability & Reactivity Information

Stability: This is a stable material under normal conditions

Hazardous Decomposition: Thermal Decomposition yields oxides of

carbon.

Hazardous Polymerization: Will not occur under normal conditions

Section 11 – Toxicological Information

No product or component toxicological information is available.

Section 12 – Ecological Information

Ecological Information: All raw materials listed on TSCA.

Section 13 – Disposal Considerations

Disposal Method: Destroy liquid by incineration. Contaminated absorbent may be deposited in a landfill in accordance with local, state and federal regulations.

Section 14 – Transportation Information

No transportation information is available.

Section 15 - Regulatory Information

US Federal Regulations:

A) OSHA: Hazardous by definition of Hazard Communication Standard (29 CFR 1910-1200)

Safety Data Sheet

True Color Coating

McAllister Mills, Inc.

Revised: May 19, 2015



B) CERCLA – Sara Hazard Category: This product has been reviewed according to the EPA 'Hazard Categories' promulgated under Section 311 and 312 of the Superfund Amendment and Reauthorization Act of 1986 (SARA Title III) and is considered, under applicable definitions, to meet the following categories: NONE

SARA Section 313: This product contains the following substances subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

Component	CAS#	TSCA	DSL	ELNCS
Xylene	1330-20-7	No	No	No

Toxic Substances Control Act: This product contains the following chemical substances subject to the reporting requirements of TSCA12 (B) if exported from the United States:

Component	CAS#	TSCA	DSL	ELNCS
Ethylene Glycol	107-21-1	Yes	No	No
Amorphous Silica	7631-86-9	No	No	No

D) Canada Workplace Hazardous Materials Information System (WHMIS) This SDS has been prepared in compliance with Controlled Product Regulations except for use of the 16 headings. No information available for CANADIAN WHMIS Class.

Section 16 – Other Information

Disclaimer:

Although reasonable care has been taken in the preparation of this document, we extend no warranties and make no representations as to the accuracy or completeness of the information contained herein, and assume no responsibility regarding the suitability of this information for the user's intended purposes or for the consequences of its use. Each individual should make a determination as to the suitability of the information for their particular purpose(s).